



**ACS**<sup>®</sup>  
A C C E S S

TRUCK MOUNTED  
FLEET CATALOGUE

[www.acsaccessltd.co.uk](http://www.acsaccessltd.co.uk)



# WHO WE ARE AND WHAT WE DO




By putting safety and innovation at the core of its priorities, ACS Access lets you move upwards and into action with its range of self-propelled booms, scissor liftst & Truck mounted Platforms. Innovation & Safety By actively listening to our customers, ACS Access are able to identify the needs of a fast moving industry into reality.




## TM20 20.00m Max Lift Capacity: 230kg

REACH HEIGHT	20.00m	PLATFORM HEIGHT	18.00m
CLOSED LENGTH	6.55m	CLOSED HEIGHT	2.55m
TRAVELLING WIDTH	2.20m	HORIZONTAL REACH	9.20m
MAX LIFT CAPACITY	230kg	WEIGHT	3500kg
CAGE DIMENSIONS	0.70x1.40m	MAX WIDTH/VARIABLE	2.96m
CAGE ROTATION	Yes	GRADEABILITY	n/a
POWER	Diesel	IPAF	1b




## TM22 21.60m Max Lift Capacity: 280kg

REACH HEIGHT	21.60m	PLATFORM HEIGHT	19.60m
CLOSED LENGTH	8.83m	CLOSED HEIGHT	3.53m
TRAVELLING WIDTH	2.40m	HORIZONTAL REACH	17.2m
MAX LIFT CAPACITY	280kg	WEIGHT	8000kg
CAGE DIMENSIONS	0.80x1.80m	MAX WIDTH/VARIABLE	2.40m
CAGE ROTATION	Yes	GRADEABILITY	n/a
POWER	Diesel	IPAF	1b



## TM26 26.00m Max Lift Capacity: 230kg


REACH HEIGHT	26.00m	PLATFORM HEIGHT	24.00m
CLOSED LENGTH	7.70m	CLOSED HEIGHT	3.30m
TRAVELLING WIDTH	2.50m	HORIZONTAL REACH	14.00m
MAX LIFT CAPACITY	230kg	WEIGHT	7500kg
CAGE DIMENSIONS	0.70x1.80m	MAX WIDTH/VARIABLE	2.80m
CAGE ROTATION	Yes	GRADEABILITY	n/a
POWER	Diesel	IPAF	1b



## TM30 30.00m

Max Lift Capacity: 320kg


REACH HEIGHT	<b>30.00m</b>	PLATFORM HEIGHT	<b>28.00m</b>
CLOSED LENGTH	<b>8.65m</b>	CLOSED HEIGHT	<b>3.50m</b>
TRAVELLING WIDTH	<b>2.50m</b>	HORIZONTAL REACH	<b>19.50m</b>
MAX LIFT CAPACITY	<b>320kg</b>	WEIGHT	<b>7500kg</b>
CAGE DIMENSIONS	<b>0.80x1.60m</b>	MAX WIDTH/VARIABLE	<b>5.00m</b>
CAGE ROTATION	<b>Yes</b>	GRADEABILITY	<b>9°</b>
POWER	<b>Diesel</b>	IPAF	<b>1b</b>



## TM37 37.00m

Max Lift Capacity: 300kg


REACH HEIGHT	<b>37.00m</b>	PLATFORM HEIGHT	<b>35.00m</b>
CLOSED LENGTH	<b>9.55m</b>	CLOSED HEIGHT	<b>3.82m</b>
TRAVELLING WIDTH	<b>2.50m</b>	HORIZONTAL REACH	<b>28.80m</b>
MAX LIFT CAPACITY	<b>300kg</b>	WEIGHT	<b>18000kg</b>
CAGE DIMENSIONS	<b>1.05x3.88m</b>	MAX WIDTH/VARIABLE	<b>6.20m</b>
CAGE ROTATION	<b>Yes</b>	GRADEABILITY	<b>8°</b>
POWER	<b>Diesel</b>	IPAF	<b>1b</b>



## TM32 32.00m

Max Lift Capacity: 600kg


REACH HEIGHT	<b>32.00m</b>	PLATFORM HEIGHT	<b>30.00m</b>
CLOSED LENGTH	<b>8.80m</b>	CLOSED HEIGHT	<b>3.53m</b>
TRAVELLING WIDTH	<b>2.50m</b>	HORIZONTAL REACH	<b>25.50m</b>
MAX LIFT CAPACITY	<b>600kg</b>	WEIGHT	<b>15000kg</b>
CAGE DIMENSIONS	<b>1.05x3.38m</b>	MAX WIDTH/VARIABLE	<b>6.50m</b>
CAGE ROTATION	<b>Yes</b>	GRADEABILITY	<b>8°</b>
POWER	<b>Diesel</b>	IPAF	<b>1b</b>



## TM45 45.00m

Max Lift Capacity: 600kg


REACH HEIGHT	<b>45.00m</b>	PLATFORM HEIGHT	<b>43.00m</b>
CLOSED LENGTH	<b>9.90m</b>	CLOSED HEIGHT	<b>3.80m</b>
TRAVELLING WIDTH	<b>2.55m</b>	HORIZONTAL REACH	<b>27.50m</b>
MAX LIFT CAPACITY	<b>600kg</b>	WEIGHT	<b>18000kg</b>
CAGE DIMENSIONS	<b>2.49x3.88m</b>	MAX WIDTH/VARIABLE	<b>6.20m</b>
CAGE ROTATION	<b>Yes</b>	GRADEABILITY	<b>9°</b>
POWER	<b>Diesel</b>	IPAF	<b>1b</b>



## TM35 35.00m

Max Lift Capacity: 350kg


REACH HEIGHT	<b>35.00m</b>	PLATFORM HEIGHT	<b>33.00m</b>
CLOSED LENGTH	<b>8.80m</b>	CLOSED HEIGHT	<b>3.50m</b>
TRAVELLING WIDTH	<b>2.50m</b>	HORIZONTAL REACH	<b>30.00m</b>
MAX LIFT CAPACITY	<b>350kg</b>	WEIGHT	<b>15000kg</b>
CAGE DIMENSIONS	<b>0.80x1.80m</b>	MAX WIDTH/VARIABLE	<b>6.25m</b>
CAGE ROTATION	<b>Yes</b>	GRADEABILITY	<b>n/a</b>
POWER	<b>Diesel</b>	IPAF	<b>1b</b>



## TM53 53.00m

Max Lift Capacity: 600kg

REACH HEIGHT	<b>53.00m</b>	PLATFORM HEIGHT	<b>51.00m</b>
CLOSED LENGTH	<b>12.00m</b>	CLOSED HEIGHT	<b>3.95m</b>
TRAVELLING WIDTH	<b>2.55m</b>	HORIZONTAL REACH	<b>38.30m</b>
MAX LIFT CAPACITY	<b>600kg</b>	WEIGHT	<b>26000kg</b>
CAGE DIMENSIONS	<b>1.05x3.88m</b>	MAX WIDTH/VARIABLE	<b>8.67m</b>
CAGE ROTATION	<b>Yes</b>	GRADEABILITY	<b>8°</b>
POWER	<b>Diesel</b>	IPAF	<b>1b</b>






## TM55 55.00m

Max Lift Capacity: 600kg


REACH HEIGHT	55.00m	PLATFORM HEIGHT	53.00m
CLOSED LENGTH	11.90m	CLOSED HEIGHT	4.00m
TRAVELLING WIDTH	2.50m	HORIZONTAL REACH	40.00m
MAX LIFT CAPACITY	600kg	WEIGHT	25640kg
CAGE DIMENSIONS	1.05x3.88m	MAX WIDTH/VARIABLE	8.67m
CAGE ROTATION	Yes	GRADEABILITY	7°
POWER	Diesel	IPAF	1b



## TM70 70.00m

Max Lift Capacity: 600kg

REACH HEIGHT	53.00m	PLATFORM HEIGHT	51.00m
CLOSED LENGTH	12.00m	CLOSED HEIGHT	3.95m
TRAVELLING WIDTH	2.55m	HORIZONTAL REACH	38.30m
MAX LIFT CAPACITY	600kg	WEIGHT	26000kg
CAGE DIMENSIONS	1.05x3.88m	MAX WIDTH/VARIABLE	8.67m
CAGE ROTATION	Yes	GRADEABILITY	8°
POWER	Diesel	IPAF	1b



ACS Access provides market leading powered access equipment for hire with the peace of mind that all our equipment meets current legislation. A commitment to service excellence. With fully trained sales and engineering staff, we deliver a fast and efficient service, offering stability, safety and added value. For all your access hire needs.



## ACCREDITATIONS



Want to know more about availability or to simply get a quote? Get in touch via call or email.  
01254 693 131 or [info@acsaccessltd.co.uk](mailto:info@acsaccessltd.co.uk)

01254 693 131

| [info@acsaccessltd.co.uk](mailto:info@acsaccessltd.co.uk)

| [www.acsaccessltd.co.uk](http://www.acsaccessltd.co.uk)



Office 212, Business First, Dayfield Road,  
Blackburn, Lancashire, BB1 2QY  
T: 01254 693 131 E: [info@acsaccessltd.co.uk](mailto:info@acsaccessltd.co.uk)  
[www.acsaccessltd.co.uk](http://www.acsaccessltd.co.uk)